
BellaBot Premium Delivery Robot









What solutions does BellaBot provide?

- Repetitive table serving
- Table bussing tasks
- Boosting efficiency
- Multimodal interaction with light interaction, touch feedback, and smart expression
- Dual Solutions : Laser SLAM and Visual SLAM

Multimodal Interaction

Light interaction, touch feedback and smart expression bring an unprecedented human-robot interaction experience.







Intelligent Tray

delivery






The modular quick release structure and intelligent infrared sensing ability create intelligent trays and a more efficient

Serving solution optimized for each vertical

Pudu Robotics has independently researched and developed. Its own robot positioning and navigating technologies based on multi - sensor solution, BellaBot is the serve solution for wide range of business such as restaurants, hospitals, hotels, resorts, serviced residences, community space, office buildings, etc...





SLAM Positioning and Navigation

Both multi-sensor fusion technology and laser SLAM allow it to locate the targets with specific requirements



Enclosed Dish Cover

3 layers of large space, magnetic door opening method, contactless delivery, safer service.







SMARTER SOLUTION 4



The newly developed interlinked suspension in automotive grade can adapt to surface undulation, effectively reduce the shake due to floor roughness and achieve excellent running ability.

The Independent Suspension System, ensures steady delivery



Industry First Dual SLAM Techonogy

Support both Visual SLAM and Laser SLAM navigation solutions for full coverage in any scenario




Pudu Cloud Service

Intelligent Cloud Scenarios & Robot Service Cloud provide data support for scenario-based operations



Upgraded All-New Delivery Capabilities

Masterful in delivery, cruising, and escorting guests



Four Core Escort Function

Centimeter-level real-time positioning, high-precision mapping., optimal route planning, and 0.5-second instant response for obstacle avoidance



Power Exchange Technology

12~24 hours ultra-long battery life, the quick-release battery can also achieve 24/7 operations around the clock



Superlative Trafficability - Stable Operations

A minimum clearance at 27.6", and auto-level suspension to ensure smooth and steady operations

Features

Specification

Machine Dimension

22.3" × 21.1" × 50.8"

Machine Weight 121.3lb

Machine Material ABS / aviation - grade aluminum alloy

Charging Time < 4.5H

Delivery Modes

Greeting, delivery, cruise, birthday, dish-return, and direct modes 12 - 24H (Battery Exchangeable)

Cruise Speed 1.1 - 2.7 mph adjustable


Capacity of Single Shelf 22lb

> Dish Cover Weight 35.3lb

Dish Cover Dimension 20.2" × 16.5" × 26.7"

Min Passing Width 27.56"

The smart serving solution for a wide range of business







Quick setup without the need to install separate ceiling markers.

SLAM AUTONOMOUS DRIVING



Built to navigate using the SLAM method that recognizes space with a 3D camera and LIDAR sensor.

Our Showroom

Rutech Inc

Admin@RutechUSA.com

Support@RutechUSA.com

rutechusa.com



